



Checkout scales

- ✓ POS integrated weighing **with assembly approval!**
- ✓ Weighing kits to integrate with scanner or with scanner already integrated
- ✓ "Weight only" or "price computing" scales

Dibal Checkout Scales

From simple "weight only" or "price computing" scales and weighing kits for integration with scanners, to complete solutions to integrate weighing in the POS with assembly approval.



Approved Dibal software (K-SW) shown on the connected POS screen.



K-POS series

POS INTEGRATED WEIGHING WITH ASSEMBLY APPROVAL

· **KS-POS: Weighing kit for integration with scanner or with integrated scanner for checkout.**
(WITHOUT additional weighing display)

· Compatibility with scanners:

- > Datalogic Magellan 8300 / 8400 / 9300i / 9400i / 9800i.
- > Zebra MP7000.

· **Approved Dibal software (K-SW)** to display the weight or weight, price / kg, amount information **on the connected POS screen.**

- > Application for integration with third-party software. (The integration must be validated by Dibal).

· Valid for legal metrology.

- > The weighing components are located in an isolated area, so scanner maintenance operations may be carried out without the need to unseal the equipment.

· Power supply and communications through one single USB cable.

· Communication protocols available for the main POS and ECR in the market.



*Integrate weighing into the POS
with **DIBAL** assembly
approval!**

· **KD-POS: Platform for checkout.**
(WITHOUT additional weighing display)

· ECR/POS connection.

· **Approved Dibal software (K-SW)** to display the weight or weight, price / kg, amount information **on the connected POS screen.**

- > Application for integration with third-party software. (The integration must be validated by Dibal).

· Valid for legal metrology.

· Power supply and communications through one single USB cable.

· Communication protocols available for the main POS and ECR in the market.

* Requires the integration of the client's software with the approved DIBAL software solution (K-SW).

Table of models



	KS-POS M KS-POS Z	KS-POS MI KS-POS ZI	KD-POS	KS-400 S KS-400 M KS-400 Z	KS-400 MI KS-400 ZI	DPOS-400	G-305 G-325
Assembly approval	Yes *	Yes *	Yes *	No **	No **	No **	No **
Metrological Verification	Optional (EU)	Optional (EU)	Optional (EU)	Optional (EU)	Optional (EU)	Optional (EU)	Optional (EU)
LCD display	-	-	-	Graphic display 1 or 2	Graphic display 1 or 2	Graphic display 1 or 2	Segments 1: weight only (G-305) 2: price computing (G-325)
Connection to POS or Cash Register	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Scanner connection (Scanner not included)	Honeywell Stratos MS2421 (1 or 2 cables)	-	-	✓	-	-	-
	Datalogic Magellan 8300/ 8400/ 9300i/ 9400i/ 9800i	✓	-	-	✓	-	-
	Zebra MP7000	✓	-	-	✓	-	-
Integrated scanner	Datalogic Magellan 9300i/ 9800i	-	✓	-	✓	-	-
	Zebra MP7000	-	✓	-	✓	-	-
Interface	USB	USB	USB	RS-232 USB (according to scanner)	RS-232 USB (according to scanner)	RS-232 USB	RS-232
Communication protocols	More than 50	More than 50	More than 50	More than 50	More than 50	More than 50	More than 50
Capacity / Accuracy	6kg/2g- 15kg/5g 15 kg / 5 g	6kg/2g- 15kg/5g 15 kg / 5 g	6kg/2g- 15kg/5g 15 kg / 5 g	6kg/2g- 15kg/5g 15 kg / 5 g	6kg/2g- 15kg/5g 15 kg / 5 g	6kg/2g- 15kg/5g 15 kg / 5 g	6kg/2g- 15kg/5g 15 kg / 5 g

* Requires the integration of the client's software with the approved DIBAL software solution (K-SW).

** Requires that the client homologates the Dibal weighing solution with its POS software in the appropriate organizations (WELMEC 2.2. Issue 3).



A model for every need.
We have the checkout scale that you are looking for,
contact us!



The POS software company
*must be approved***



KS-400 series

WEIGHING KITS FOR INTEGRATION WITH SCANNER OR WITH INTEGRATED SCANNER FOR CHECKOUT APPLICATIONS

- Compatibility with scanners:
 - > Honeywell Stratos MS2421.
 - > Datalogic Magellan 8300 / 8400 / 9300i / 9400i / 9800i.
 - > Zebra MP7000.
- Valid for legal metrology.
 - > The weighing components are located in an isolated area, so scanner maintenance operations may be carried out without the need to unseal the equipment.
- Displays:
 - > LCD matrix graphic backlit display (1 or 2 depending on the model).
 - > 5 digits (up to H20 mm) per display.
 - > Shows weight or weight, price / kg and amount information (connected to POS and depending on the communication protocol).
- Power supply and communications through one single USB cable (depending on scanner).
- Interface RS-232. USB (depending on scanner).
- Communication protocols available for the main POS and ECR in the market.

DPOS-400 series

G-305 / 325 series

WEIGHT ONLY OR PRICE COMPUTING SCALES FOR CONNECTION TO POS OR ECR

- Easy integration into counters.
- Valid for legal metrology.
- Displays:
 - > 1 or 2, easy to install in multiple positions (flat or pole format).
 - > DPOS-400: Backlit LCD matrix graphic display.
 - > G-305 / 325: Backlit LCD segments display.
 - > 5 digits (up to H20 mm) per display.
 - > Shows weight or weight, price / kg and amount information (connected to POS and depending on the communication protocol).
- DPOS-400: Power supply and communications through one single USB cable.
- DPOS-400: Interface USB and RS-232.
- G-305 / 325: Interface RS-232.
- Communication protocols available for the main POS and ECR in the market.

** Requires that the client homologates the Dibal weighing solution with its POS software in the appropriate organizations (WELMEC 2.2. Issue 3).

DIBAL